

<https://doi.org/10.1002/prop.200700018>

- [2] T. L. Varghese, S. C. Gaiindhar, J. David, J. Jose, R. Muthiah, S. S. Rao, & V. N. Krishnamurthy. (1995). Developmental studies on metallised UDMH and kerosene gels. *Defence Science Journal*, 45(1), 25.
<https://doi.org/10.14429/dsj.45.4098>
- [3] B. O. Okesola, V. M. Vieira, D. J. Cornwell, N. K. Whitelaw, & D. K. Smith. (2015). 1, 3: 2, 4-Dibenzylidene-D-sorbitol (DBS) and its derivatives—efficient, versatile and industrially-relevant low-molecular-weight gelators with over 100 years of history and a bright future. *Soft Matter*, 11(24), 4768-4787.
<https://doi.org/10.1039/C5SM00845J>
- [4] E. A. Wilder, C. K. Hall, S. A. Khan, R. J. Spontak. (2003). Effects of composition and matrix polarity on network development in organogels of poly (ethylene glycol) and dibenzylidene sorbitol. *Langmuir*, 19(15), 6004-6013.
<https://doi.org/10.1021/la027081s>
- [5] S. Yamasaki, & H. Tsutsumi. (1995). The Dependence of the Polarity of Solvents on 1, 3: 2, 4-Di-O-benzylidene-D-sorbitol Gel. *Bulletin of the Chemical Society of Japan*, 68(1), 123-127.
<https://doi.org/10.1246/bcsj.68.123>
<https://doi.org/10.1246/bcsj.68.146>
- [6] W. Frässdorf, M. Fahländer, K. Fuchs, & C. Friedrich. (2003). Thermorheological properties of self-assembled dibenzylidene sorbitol structures in various polymer matrices: Determination and prediction of characteristic temperatures. *Journal of Rheology*, 47(6), 1445-1454.
<https://doi.org/10.1122/1.1619379>
- [7] K. K. Diehn, H. Oh, R. Hashemipour, R. G. Weiss, & S. R. Raghavan. (2014). Insights into organogelation and its kinetics from Hansen solubility parameters. Toward a priori predictions of molecular gelation. *Soft Matter*, 10(15), 2632-2640.
<https://doi.org/10.1039/c3sm52297k>
- [8] P. S. Santos, M. G. Abiad, M. A. Carignano, & O. H. Campanella. (2012). Viscoelastic properties of dibenzylidene sorbitol (DBS) physical gels at high frequencies. *Rheologica acta*, 51(1), 3-11.
<https://doi.org/10.1007/s00397-011-0591-9>